DETAILED ACTION

Response to Arguments

1.   Applicant's arguments filed **10/21/2009** have been fully considered but they are

not persuasive.

2.   **Claim 1** has been amended.

3.   **Claims 1-9** are currently pending.

The applicant argued about the features wherein the applied prior art, Koodli,

does not teach performing the Duplicate Address Detection (DAD) at the new access

router, reads upon the applied art as follows;

Koodli discloses that operationally, the present invention broadly includes two

operations. The first operation enables an access router to perform actions substantially

similar to a duplicate address detection (DAD) before the access router grants

a new address to a mobile node. The second operation enables the mobile node

that has obtained information associated with a new access router and IP

address to send IP packets upon capturing link-layer connectivity with the new

access router subsequent to handover. Koodli discloses a process for determining an

address conflict on an access router. Koodli also discloses that the process may be

employed within a new access router. Koodli discloses that a packet is received from a

requesting entity. The requesting entity may be a mobile node, or an access router that

is involved in the mobile node's handover signaling. Koodli shows that a determination

is made whether the packet is associated with a link frame type of ND_FAST_HO, or a

similar mechanism that indicates the requesting entity intends to use an unconfirmed

address. If it is determined that the packet is not associated with a link frame type of

ND_FAST_HO, the process does the following; Alternatively, if it is determined that the

packet is associated with the link frame type of ND_FAST_HO, the process proceeds to

where a search is made on the unconfirmed address. The search may be performed by

examining a neighbor discovery cache region, a database location, or the like, to

determine whether there already exists a corresponding entry matching the unconfirmed

address. The process then proceeds to where a determination is made whether a match

of the unconfirmed entry has been found. A located match indicates that the

unconfirmed address is already in use, and may not be employed by the

Requesting entity. If it is determined that a match is not found, and therefore the

unconfirmed address is not already employed, then the link frame type is swapped

from ND_FAST_HO to an IP type. By swapping the link frame type, the present

invention does not incur the overhead of additional packet bytes, or messages.

Therefore, additional latencies may be minimized. Next, the modified packet is routed

employing the newly confirmed address. By allowing the requesting entity to employ

the unconfirmed address virtually upon establishing link-layer connectivity, a delay of

about two round-trip times (RTTs) over the media interface may be eliminated. Upon

completion, the process returns to performing other actions as disclosed in **Col. 8:33-

67, Col. 9: 1-16, Fig. 4**. Thus Koodli shows the above mentioned limitations.

Claim Rejections - 35 USC § 103

4.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Yegin et al. (US 7,286,671 B2) in view of Koodli et al. (US 6,930,988 B2),

hereinafter referenced as Yegin, Koodli.

Consider **claim 1**, Yegin discloses a method for performing mobile IPv6 fast

handover based on an access router (AR) **(Col. 1:58-63, Fig.2, where Yegin discloses**

a client changing its point of attachment while maintaining access to the network

in IpV6 Network). Yegin discloses that a) when a mobile node (MN) completes a layer

2 handover **(Col. 6:45-50, Fig. 2 elements 135 and 145 where Yegin discloses the**

change of radio links from an access point of FR1 to an access point of FR2,

therefore a layer 2 handover), a new access router (AR) receiving a modified Router

Solicitation (RS) message from the mobile node (MN) **(Col. 6:59-61, Fig. 2, where**

Yegin discloses an RS being sent to a new access router by a client) b) detecting

layer 3 movement of the mobile node (MN) at the new access router (AR) based on the

received modified RS message transmitted from the mobile (MN) node to the new

access router (AR) **(Col. 6:42-69, Col. 7:1-13, where Yegin discloses that the access**

routers send their router advertisements (RA) in response to RS from clients, and

establishment of L3 movement) c) Yegin discloses that when the mobile node does

layer 3 movement, the new access router (AR) generating a new Care of Address (CoA)

for transmission to the mobile node (MN) and for use as the network interface address

of the mobile node (MN) **(Col. 7:1-13, Fig. 2, where Yegin discloses the**

establishment of L3 movement and communication via the new access router) e)

transmitting a modified Router Advertisement (RA) message, after performing Duplicate

Address Detection (DAD) at the new access router (AR), which corresponds to the

modified RS message transmitted from the mobile node (MN), to the mobile node (MN)

from the new access router (AR)) **(Col. 6:42-69, Col. 7:1-13, where Yegin discloses**

that the access routers send their router advertisements (RA) in response to RS

from clients which contains CoA i.e. within the new access router coverage area,

the CoA sent to the Client is unique); wherein the mobile node (MN) does not

perform Duplicate Address Detection (DAD) after receiving the modified Router

Advertisement (RA) **(Col. 6:42-69, Col. 7:1-13, where Yegin discloses that the**

access routers send their router advertisements (RA) in response to RS from

clients which contains CoA i.e. within the new access router coverage area, the

CoA sent to the Client is unique, therefore the mobile node (MN) does not perform

Duplicate Address Detection (DAD)).

Yegin discloses that the new access router sends CoA to the client in response to

the RS from the clients i.e. within the new access router coverage area, the CoA sent to

the Client is unique. However, Yegin does not explicitly disclose performing Duplicate

Address Detection (DAD) at the new access router (AR) to inspect uniqueness of the

generated CoA. Koodli discloses **(Col. 7:11-19, Fig. 4, where Koodli discloses an**

**access router performing actions substantially similar to duplicate address
detection (DAD), therefore inspecting uniqueness of the generated (CoA) at the
new access router).**

Therefore it would have been obvious to one of ordinary skills in the art at the time
the invention was made to modify Yegin with the teachings of Koodli so as to avoid the
handover latencies as discussed in **Col. 1:11-48**.

Consider **claim 2**, the combination teaches everything claimed as implemented
above (see claim 1). In addition, Yegin specifically discloses that wherein the step a)
includes the steps of: a1) receiving a re-association request message from the mobile
node (MN) at an access point; and a2) transmitting a re-association reply message
corresponding to the re-association request message to the mobile node (MN) from the
access point **(Col. 6 lines 45-50, Fig. 2 elements 135 and 145 where Yegin
discloses the change of radio links from an access point of FR1 to an access
point of FR2, therefore a layer 2 handover i.e. re-association process is performed
with the new access point of the new access router).**

Consider **claim 3**, the combination teaches everything claimed as implemented
above (see claim 1). In addition, Yegin specifically discloses that f) receiving the
modified RA message transmitted from the access router (AR), using the CoA specified
in the modified RA transmitted from the access router (AR) as a network interface
address of the mobile node (MN) without DAD, and performing binding update at the
mobile node (MN) **(Col. 7:1-13, Fig. 2, where Yegin discloses the establishment of
L3 movement and communication via the new access router).**

Consider **claim 4**, the combination teaches everything claimed as implemented above (see claim 1). In addition, Yegin specifically discloses wherein, in the step a), the access router (AR) receives the modified RS message from the mobile node (MN) as soon as the layer 2 handover is completed at the mobile node (MN) **(Col. 6:59-61, Fig. 2)**.

Consider **claim 5**, the combination teaches everything claimed as implemented above (see claim 4). In addition, Yegin specifically discloses wherein, the step b), the movement of the mobile node (MN) in the layer 3 is detected at the access router (AR) by comparing a neighbor cache value of the access router (AR) and a layer 2 identifier of the mobile node (MN) included in the modified RS message, which is transmitted from the mobile node (MN) **(Col. 6:63-64, where Yegin discloses that the access routers send their router advertisements (RA) in response to RS from clients)**.

5.   **Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yegin in view of Koodli, and further in view of Takusagawa et al. (US 2003/0225892 A1), hereinafter referenced as Taku.**

Consider **claim 6**, the combination teaches everything claimed as implemented above (see claim 5). However, the combination does not specifically teach wherein the modified RS message includes a flag which signifies the generation of the CoA (CoA Generate). Taku discloses wherein the modified RS message includes a flag which signifies the generation of the CoA (CoA Generate) **(Para 0105-0106, Fig. 11, where Taku discloses a handover initiation message to request for a new CoA)**.

Therefore it would have been obvious to one of ordinary skills in the art at the

time the invention was made to modify Yegin and Koodli with the teachings of Taku so

as to expedite the hand over procedure as discussed in **Para 0009**.

Consider **claim 7**, the combination teaches everything claimed as implemented

above (see claim 6). In addition, Taku specifically discloses wherein the modified RA

message includes a flag which signifies the generation of the CoA (CoA Generate)

(Para 0105-0106, Fig. 11, where Taku discloses a handover initiation message to

request for a new CoA).

Consider **claim 8**, the combination teaches everything claimed as implemented

above (see claim 7). In addition, Yegin specifically discloses wherein the modified RA

message includes the CoA which is generated by the access router in the step c) **(Col.**

6:43-67, Col. 7:1-13).

Consider **claim 9**, the combination teaches everything claimed as implemented

above (see claim 8). In addition, Taku specifically discloses wherein the modified RA

message includes a flag which signifies that the CoA is included in a prefix **(Para 0105-**

0106, Fig. 11, where Taku discloses a handover initiation message to request for

a new CoA).

Conclusion

6.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to BABAR SARWAR whose telephone number is

(571)270-5584. The examiner can normally be reached on MONDAY TO FRIDAY

09:00 A.M -05:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, NICK CORSARO can be reached on (571)272-7876. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BS/   /BABAR SARWAR/
                                                              Examiner, Art Unit 2617

/NICK CORSARO/
Supervisory Patent Examiner, Art Unit 2617